

2.4 DOOR BOLTS, GENERAL

A. Manufacturers: Subject to compliance with requirements, provide products by one of the following:

1. Surface Bolts:
 - a. Hager Companies.
 - b. Ives: H.B. Ives.
 - c. Rockwood Manufacturing Company.
2. Flush Bolts:
 - a. Hiawatha, Inc.
 - b. Ives: H.B. Ives.
 - c. Rixson-Firemark, Inc.; Div. of Yale Security Inc.
 - d. Rockwood Manufacturing Company.

B. Standards: Comply with the following:

1. Surface Bolts: BHMA A156.16.
2. Automatic and Self-Latching Flush Bolts: BHMA A156.3.
3. Manual Flush Bolts: BHMA A156.16.

2.5 EXIT DEVICES, GENERAL

A. Manufacturers: Subject to compliance with requirements, provide products by one of the following:

1. Corbin Russwin Architectural Hardware; Div. of Yale Security Inc.
2. Falcon / Ingersoll Rand Security Technologies
3. Sargent Manufacturing Company; Div. of ESSEX Industries, Inc.
4. Yale Security Inc.; Div. of Williams Holdings.

B. Standard: BHMA A156.3.

1. BHMA Grade: Grade 1.

C. Certified Products: Provide exit devices listed in BHMS's "Directory of Certified Exit Devices."

D. Panic Exit Devices: Listed and labeled by a testing and inspecting agency acceptable to authorities having jurisdiction, for panic protection, based on testing according to UL 305.

E. Fire Exit Devices: Complying with NFPA 80 that are listed and labeled by a testing and inspecting agency acceptable to authorities having jurisdiction, for fire and panic protection, based on testing according to UL 305 and NFPA 252.

F. Through Bolts: For exit devices and trim on metal doors and fire-rated wood doors unless fire door blocking is specified in section 08211 Flush Wood Doors.

2.6 CYLINDERS AND KEYING

A. Manufacturers: Subject to compliance with requirements, provide products by one of the following: